	Application No.	Applicant(s)
Notice of Allowability	10/523,364	ARAKELYAN ET AL.
	Examiner	Art Unit
	Robert B. Davis	1722
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-8</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements 		
noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 D Nation of Informal D	-AA-APC
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal Page 16. ☐ Interview Summary	•
	Paper No./Mail Dat 7. ☐ Examiner's Amendn	e
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>2/7/05</u> 	7. 🗌 Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme 9. □ Other	nt of Reasons for Allowance
,		

Application/Control Number: 10/523,364

Art Unit: 1722

REASONS FOR ALLOWANCE

Page 2

1. The following is an examiner's statement of reasons for allowance: None of the prior art of record teaches or suggests a device for blow molding containers, the molding device being movable, mainly rotatable and comprising; at least one mold of the wallet type having two half molds connected to each other by a mutual pivot shaft. two link rods secured to one another, by a first articulation, at one of their ends and secured with articulation, at their other end, respectively to the two half molds either side of the mutual pivot shaft, actuation means that are connected to the first articulation and that comprise at least one cam follower suitable for interacting with at least one respective fixed cam in order to generate an approximately linear movement of the articulation toward the mold or away from the latter, being accompanied respectively by the closure or the opening of the mold, wherein associated with the articulation are compensating means suitable for acting in such a way that the cam follower is permanently kept in contact with the respective cam. Colombo (2,750,625) discloses a blow mold (11) having a cam (23) and a cam follower (22) affixed to one of the mold halves to move the single mold, but the reference fails to disclose or suggest two link rods secured to one another by a first articulation at one of their ends and secured with articulation, at their other end, respectively to the two half molds either side of the mutual pivot shaft, articulation means connected to the first articulation and comprise at least one cam follower suitable for interacting with the at least one respective fixed cam in order to generate approximately linear movement of the articulation toward or away from the later, wherein associated with the articulation are compensating means

Application/Control Number: 10/523,364

Art Unit: 1722

suitable for acting in such a way that the cam follower is permanently kept in contact with the respective cam.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert B. Davis whose telephone number is 571-272-1129. The examiner can normally be reached on Monday-Friday 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yogendra Gupta can be reached on 571-272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Robert B. Davis

Page 3

Page 4

Primary Examiner Art Unit 1722

4/2/07